



1/12

**Reagents**

a: Triphosgene, pyridine, CH₂Cl₂; b: pyridine, CH₂Cl₂; c: TBTU, DIPEA, DMF;
 d: SO₃, pyridine, TEA, CH₂Cl₂, DMSO.

Fig. 1


2/12

**Reagents**

a: Triphosgene, pyridine, CH_2Cl_2 ; b: pyridine, CH_2Cl_2 ; c: TBTU, DIPEA, DMF;
 d: SO_3 , pyridine, TEA, CH_2Cl_2 , DMSO.

Fig.2

3/12



a: LiBH_4 , THF; b: SO_3 , pyridine, TEA, CH_2Cl_2 , DMSO; c: MeOH, SOCl_2 , $\text{CH}(\text{OCH}_3)_3$; d: (i) Raney Nickel, EtOH, (ii) H_2 , Pd-C, EtOH.

Fig.3

4/12




Fig.4

5/12




Fig.5

6/12




Fig.6

7/12





Fig.7

8/12



In vitro cytotoxicity assay for AG 105 (squares); compound 12 + UVA 2h (circles) and compound 12 + UVA 5h (triangles).

Fig. 8

9/12




Fig.9

10/12




Fig.10

11/12




Fig. 11

12/12




Fig.12